

CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00

DATE: 08/07/2023

 Analysis ID No.
 232319

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20230563

 Page No.
 Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Client Name:	Submitted Sample Name:
Arvida Labs LLC	Relif Cinnamon Twist
Address:	Submitted Sample Lot:
1291 NW 65 [™] Pl Suite B, Fort Lauderdale, FL 33309	23135414261221
Phone Number:	Submitted Sample Description:
305-330-8280	Amber Beverage in Retail Package; Stored at RT
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Nikola Veskovic / nikola@arvidalabs.com	Kratom Extract / Beverage

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	1.086 w/w% 10.859 mg/g 11.413 mg/mL	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.138 w/w% 1.382 mg/g 1.453 mg/mL	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.112 w/w% 1.123 mg/g 1.180 mg/mL	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.051 w/w% 0.507 mg/g 0.533 mg/mL	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only* % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	1.387 w/w% 13.871 mg/g 14.579 mg/mL	Results Reported

MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	10 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Total Yeast & Mold (TYM)	Isolation Agar	10 CFU/gm	NMT 1,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	10 CFU/gm	NMT 100 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/1 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/1 gm	Absent in 25 gm	Absent	PASS

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.



CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 08/07/2023

Analysis ID No. 232319 TDA License No. 2020002 **ISO/IEC No.** 1055838 Purchase Order: 20230563 Page No. Page 2 of 2

	HEAVY METALS ASSAY				
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	< LOQ	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	< LOQ	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	< LOQ	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	< LOQ	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 20,000 ppb	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION	
Santé Laboratories	Santé Sample ID: 232319	
8201 East Riverside Drive, STE 650	Receipt Date: 07/28/2023 / 02:40 PM CST / P. Steinberg	
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 07/31/2023	

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological limits according to specifications defined by AHPA for botanical extracts. * Density: 1.051 g/mL, this is based on the average of five (5) weights.

©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	08/07/2023	Initial Release
00	00/07/2023	



REVIEWED AND APPROVED BY			
Juone Finerra	07 August 2023 2:55:38 PM PDT		
Yvonne Rivera	Date		
Data Management Specialist			
Santé Laboratories			

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA

Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.